



3Com® Networking Products

Product Listing

January 2003




3Com® delivers innovative networks that are easier to own and implement. Whether your customers require advanced switching functionality or basic connectivity, there's a 3Com product to meet their needs.

Use this pocket guide to quickly locate any 3Com networking product. More detailed information is available at <http://www.3com.com>

What's New?

3Com XRN™ Interconnect Kit The new 3Com XRN Interconnect Kit enables the SuperStack 3 Switch 4900 family and 3Com Switch 4050 and 4060 to create an XRN Distributed Fabric. 3Com's XRN (eXpandable Resilient Networking) is a patented technology that allows enterprise customers to design and implement high availability Gigabit Ethernet core and aggregation backbones, which are affordable and provide exceptional performance and flexibility.



LAN Core Switches
& Modules



3Com Superstack® 3 Switch 4228G The new 3Com SuperStack 3 Switch 4228G is a managed wirespeed 10/100 stackable switch, providing 24 10/100 ports, 2 10/100/1000 copper Gigabit ports, and 2 GBIC ports. A cost effective switch with flexible uplinks.

Desktop/Workgroup
Switches & Modules

3Com 11 Mbps Wireless LAN Outdoor Bridge Solution features state-of-the-art wireless building to building bridging technology enclosed in a weatherproof high-gain panel antenna for ease of installation and maximum performance. The 3Com wireless LAN outdoor bridge solution also interoperates seamlessly with other Wi-Fi certified access points in large multivendor environments.



Wireless
Solutions



3Com Network Jacks 3Com NJ100 and NJ200 Network Jacks are unique "in the wall" Ethernet switches that quadruple infrastructure connectivity more cost-effectively than rewiring and securely than freestanding devices.





Network
Jacks





3COM

LAN Core Switches & Modules

Product	3Com 3C No.	Notes
 3Com Switch 4050	3C17708	High performance, resilient 24-port flexible media Gigabit switch
3Com Switch 4060	3C17709	High performance, resilient 24-port flexible media Gigabit switch
3Com SuperStack 3 Switch 4924	3C17701	High performance 24-port 10/100/1000 switch
3Com SuperStack 3 Switch 4950	3C17706	High performance 24-port flexible media Gigabit switch
3Com SuperStack 3 Switch 4900	3C17700	High performance 12-port 100/1000 Gigabit switch
3Com SuperStack 3 Switch 4900 SX	3C17702	High performance 12-port 1000BASE-SX Gigabit switch
 3Com XRN™ Interconnect Kit	3C17715	Enables XRN-capable switches to operate as a single distributed fabric
Optional Modules		
3Com SuperStack 3 Switch 4900 4-Port 1000BASE-T Module	3C17711	4-port 1000BASE-T module
3Com SuperStack 3 Switch 4900 4-Port 1000BASE-SX Module	3C17710	4-port 1000BASE-SX module
3Com SuperStack 3 Switch 4900 4-Port 1000BASE-LX Module	3C17712	4-port 1000BASE-LX module
3Com SuperStack 3 Switch 4900 4-Port Gigabit Module	3C17714	4-port GBIC module for the SuperStack 3 Switch 4900 series
GBICs		
3Com 1000BASE-SX GBIC	3CGBIC91	Available for use with the 4050, 4060, and 4900 family
3Com 1000BASE-LX GBIC	3CGBIC92	Available for use with the 4050, 4060, and 4900 family
3Com 1000BASE-LH GBIC	3CGBIC97	Available for use with the 4050, 4060, and 4900 family
Accessories		
 200 Watt Power Supply Unit	3C17718	Optional power supply unit for Switch 4050, 4060; increased redundancy, hot swappable
 Spare Fan Tray	3C17717	Spare fan tray unit for Switch 4050, 4060; increased redundancy, hot swappable





LAN Core Switches & Modules

Product	3Com 3C No.	Notes
3Com Switch 4007R Layer 3 Gigabit Ethernet Starter Kit	3C16818	9-port 1000BASE-SX, 4 x GBIC ports, redundant 8-slot chassis including 1 power supply unit, fans & 48 Gbps fabric and management module
3Com Switch 4007 Layer 3 Gigabit Ethernet Starter Kit	3C16811	9-port 1000BASE-SX, 4 x GBIC ports, 7-slot chassis including 1 power supply unit, fans & 48 Gbps fabric and management module
Optional Modules		
3Com Switch 4007 4-Port Gigabit Layer 3 Switch Module	3CB9RG4	Requires GBIC
3Com Switch 4007 9-Port 1000BASE-SX Layer 2 Switch Module	3CB9LG9MC	MMF, SC connectors
3Com Switch 4007 12-Port 10/100BASE-TX Layer 3 Switch Module	3CB9RF12R	RJ-45 connectors
3Com Switch 4007 36-Port 10/100BASE-TX Switch Layer 2 Module	3CB9LF36R	RJ-45 connectors
3Com Switch 4007 20-Port 100BASE-FX Switch Layer 2 Module	3CB9LF20MM	MT-RJ connectors
3Com Switch 4007 4-Port Gigabit I/O Layer 2 Module	3CB9LG4	Requires GBIC



3Com Switch 4007

- High performance, feature-rich, Layer 3 10/100/1000 switching
- High density Gigabit Ethernet backbone solution





LAN Core Switches & Modules

Product	3Com 3C No.	Notes
Spare Components		
3Com Switch 4007 7-slot Chassis	3C16801	Empty Switch 4007 chassis
3Com Switch 4007 Fan Assembly	3CB9EF7	Fan assembly for Switch 4007 only
3Com Switch 4007 EEPROM	3CB9EE	Spare EEPROM for Switch 4007, Switch 4007R
3Com Switch 4007 Gigabit Ethernet Switch Fabric	3CB9FG9	18 Gbps Switching Fabric for Switch 4007, Switch 4007R
3Com Switch 4007 Gigabit Ethernet Switch Fabric	3CB9FG24T	48 Gbps Switching Fabric for Switch 4007, Switch 4007R
3Com Switch 4007 930W AC Power Supply	3CB9EP9	Power supply for Switch 4007 only
3Com Switch 4007 Management Module	3CB9EME	Additional management module for Switch 4007 & 4007R
3Com Switch 4007R 8-slot Chassis	3C16804	Empty Switch 4007R chassis
3Com Switch 4007R 820W AC Power Supply	3CB9EP8	Power supply for Switch 4007R only
3Com Switch 4007R Fan Assembly	3CB9EF8	Fan assembly for Switch 4007R only
GBICs		
3Com 1000BASE-SX GBIC	3CGBIC91	Available for use with the Switch 4005, 4007, and 4007R
3Com 1000BASE-LX GBIC	3CGBIC92	Available for use with the Switch 4005, 4007, and 4007R
3Com 1000BASE-T GBIC	3CGBIC93	Available for use with the Switch 4007 and Switch 4007R
3Com 1000BASE-LH70 GBIC	3CGBIC97	Available for use with the Switch 4005, 4007, and 4007R



LAN Core Switches & Modules

Product	3Com 3C No.	Notes
3Com Switch 4005 40-Port Copper Fast Ethernet Starter Kit	3C16830	Includes chassis, fabric, power supply unit and fans
3Com Switch 4005 16 Copper, 16 Fiber FE Starter Kit	3C16831	Includes chassis, fabric, power supply unit and fans
3Com Switch 4005 Chassis/Power Supply/Fan/Management	3C16820	14-slot chassis, capable of holding 12 I/O modules
3Com Switch 4005 v2.0 Advanced Software Pack	3C16844	Includes chassis, fabric, power supply unit and fans
Optional Modules		
3Com Switch 4005 8-Port 10/100BASE-TX Switch Module	3C16828	RJ-45 connectors
3Com Switch 4005 8-Port 100BASE-FX Module	3C16829	MMF, MT-RJ connectors
3Com Switch 4005 1-Port 1000BASE-SX Module	3C16825	MMF, SC connector
3Com Switch 4005 1-Port GBIC Module	3C16826	Requires GBIC 3CGBIC91, 3CGBIC92, or 3CGBIC97
3Com Switch 4005 1-Port 1000BASE-T Module	3C16827	RJ-45 connector
3Com Switch 4005 2-Port 1000BASE-T Module	3C16841	RJ-45 connector
3Com Switch 4005 2-Port 1000BASE-SX Module	3C16842	MMF, MT-RJ connectors
3Com Switch 4005 2-Port GBIC Module	3C16843	Requires GBIC 3CGBIC91, 3CGBIC92, or 3CGBIC97
Spare Components		
3Com Switch 4005 300-Watt Power Supply	3C16822	300-watt hot-swappable power supply for the Switch 4005
3Com Switch 4005 Fan Assembly	3C16823	Hot-swappable spare fan assembly for the Switch 4005
3Com Switch 4005 Fabric/Management	3C16824	24 Gbps switching fabric for Switch 4005



3Com
Switch 4005



- Affordable, high performance, Layer 3, 10/100/1000 switching
- The Switch 4005 supports OSPF, RIP1, RIP2, DVMRP*, ACLs, 802.3ad

*3C16844





Desktop/Workgroup Switches & Modules

Product	3Com 3C No.	Notes
3Com SuperStack 3 Switch 4400 24-Port	3C17203	Stackable 10/100 24-port switch, enhanced functionality features
3Com SuperStack 3 Switch 4400 48-Port	3C17204	Stackable 10/100 48-port switch, enhanced functionality features
3Com SuperStack 3 Switch 4400 SE 24-Port	3C17206	Stackable 10/100 wirespeed 24-port switch, Layer 2, upgradeable to enhanced functionality features
 3Com SuperStack 3 Switch 4400 SE Enhanced Software Upgrade	3C17207	Software upgrade providing SuperStack 3 Switch 4400 SE with enhanced functionality features
3Com SuperStack 3 Switch 4226T	3C17300	Managed wirespeed 10/100 stackable switch; 24-port plus 2 10/100/1000
 3Com SuperStack 3 Switch 4228G*	3C17304	Managed wirespeed 10/100 stackable switch; 24-port plus 2 10/100/1000 and 2 GBIC ports
3Com SuperStack 3 Switch 4250T	3C17302	Managed wirespeed 10/100 stackable switch; 48-port plus 2 10/100/1000
3Com SuperStack 3 Switch 4300	3C17100	High performance, stand-alone 48-port 10/100 switch



3Com SuperStack 3 Switch 4228G*

- Managed, wirespeed 10/100 stackable switch
- 24 10/100 ports, 2 10/100/1000 copper Gigabit ports, and 2 GBIC ports
- A cost-effective switch with flexible uplinks

*Check 3com.com for availability



Desktop/Workgroup Switches & Modules

Product	3Com 3C No.	Notes
Optional Modules & Accessories		
3Com SuperStack 3 Switch 4400 1000BASE-T Module	3C17220	For SuperStack 3 Switch 4400 family
3Com SuperStack 3 Switch 4400 1000BASE-SX Module	3C17221	For SuperStack 3 Switch 4400 family
3Com SuperStack 3 Switch 4400 100BASE-FX Module	3C17222	For SuperStack 3 Switch 4400 family
3Com SuperStack 3 Switch 4400 1000BASE-LX Module	3C17223	For SuperStack 3 Switch 4400 family
3Com SuperStack 3 Switch 4400 Stacking Kit (1 per stack)	3C17227	For SuperStack 3 Switch 4400 family
3Com SuperStack 3 Switch 4400 Stack Extender Kit	3C17228	For SuperStack 3 Switch 4400 family
3Com SuperStack 3 Switch 4300 100BASE-FX Single Port Module	3C17111	For SuperStack 3 Switch 4300
3Com SuperStack 3 Switch 4300 100BASE-FX Dual Port Module	3C17112	For SuperStack 3 Switch 4300
3Com SuperStack 3 Switch 4300 1000BASE-T Single Port Module	3C17121	For SuperStack 3 Switch 4300
3Com SuperStack 3 Switch 4300 1000BASE-T Dual Port Module	3C17122	For SuperStack 3 Switch 4300
3Com SuperStack 3 Switch 4300 1000BASE-SX Single Port Module	3C17131	For SuperStack 3 Switch 4300
3Com SuperStack 3 Switch 4300 1000BASE-SX Dual Port Module	3C17132	For SuperStack 3 Switch 4300
3Com SuperStack 3 Switch 4300 1000BASE-LX Single Port Module	3C17141	For SuperStack 3 Switch 4300
GBICs		
3Com 1000BASE-SX GBIC	3CGBIC91	For use with the SuperStack 3 Switch 4228G
3Com 1000BASE-LX GBIC	3CGBIC92	For use with the SuperStack 3 Switch 4228G
3Com 1000BASE-T GBIC	3CGBIC93	For use with the SuperStack 3 Switch 4228G
3Com 1000BASE-LH70 GBIC	3CGBIC97	For use with the SuperStack 3 Switch 4228G





Desktop/Workgroup Switches & Modules

Product	3Com 3C No.	Notes
3Com SuperStack 3 Baseline Switches		
3Com SuperStack 3 Baseline 10/100 Switch 16-Port	3C16770	16 auto-negotiating 10/100 ports, unmanaged
3Com SuperStack 3 Baseline 10/100 Switch 24-Port	3C16771	24 auto-negotiating 10/100 ports, unmanaged
3Com SuperStack 3 Baseline 10/100 Switch 24-Port plus 10/100/1000	3C16475	24 auto-negotiating 10/100 ports plus two copper auto-negotiating 10/100/1000 copper ports, unmanaged
3Com SuperStack 3 Baseline 10/100 Switch 48-Port plus 10/100/1000	3C16476	48 auto-negotiating 10/100 ports plus two copper auto-negotiating 10/100/1000 copper ports, unmanaged
3Com SuperStack 3 Baseline 10/100/1000 Switch 8-Port	3C16477	Wirespeed Gigabit 8-port switch, unmanaged
3Com OfficeConnect Switches		
3Com OfficeConnect Dual Speed Switch 5 Plus	3C16790	Autosensing 10/100 ports with Auto MDI/MDIX and priority queuing, unmanaged
3Com OfficeConnect Dual Speed Switch 8 Plus	3C16791	Autosensing 10/100 ports with Auto MDI/MDIX and priority queuing, unmanaged
3Com OfficeConnect Dual Speed Switch 16 Plus	3C16792	Autosensing 10/100 ports with Auto MDI/MDIX and priority queuing, unmanaged
3Com OfficeConnect Switch 5	3C16793	Economical switch with 5 autosensing 10/100 ports
3Com OfficeConnect Switch 8	3C16794	Economical switch with 8 autosensing 10/100 ports



3Com SuperStack 3 Baseline
10/100 Switch family

- 3Com SuperStack 3 Baseline switches provide cost-effective Layer 2 10/100 and 10/100/1000 unmanaged Ethernet switching
- Economical and simple to install



Power Options

Product	3Com 3C No.	Notes
Accessories		
SuperStack ARPS Chassis	3C16071B	Chassis only, with rack mount kit
SuperStack ARPS 60W Module	3C16072	For use with +5 and +12 VDC equipment; includes Type 1 cable
SuperStack ARPS 100W Module	3C16073	For use with +5 and +12 VDC equipment; includes Type 1 cable
SuperStack ARPS Type 2A Module	3C16074A	For use with +3.3 and +5 VDC equipment; includes Type 2 cable
SuperStack ARPS Y-Cable Type 2	3C16078	Type 2 Y-Cable
SuperStack ARPS Y-Cable	3C16079	Type 1 Y-Cable
SuperStack ARPS Management Module	3C16080	Management module for ARPS
SuperStack ARPS Type 3 Module	3C16075	Type 3 Power Supply Module
SuperStack ARPS Y-Cable Type 3	3C16077	Type 3 Y-Cable



3Com SuperStack 3 Advanced Redundant Power System

- 3Com SuperStack Advanced Redundant Power Systems provide backup support for improved reliability





Network Jacks

Product	3Com 3C No.	Notes
3Com NJ200 Network Jack	3CNJ200-BLK	Managed 10/100 'in the wall' switch, 4-port; black; single-pack
3Com NJ200 Network Jack	3CNJ200-BLK-20	Managed 10/100 'in the wall' switch, 4-port; black; 20-pack
3Com NJ200 Network Jack	3CNJ200-CRM	Managed 10/100 'in the wall' switch, 4-port; cream; single-pack
3Com NJ200 Network Jack	3CNJ200-CRM-20	Managed 10/100 'in the wall' switch, 4-port; cream; 20-pack
3Com NJ100 Network Jack	3CNJ100-BLK	Unmanaged 10/100 'in the wall' switch, 4-port; black; single-pack
3Com NJ100 Network Jack	3CNJ100-BLK-20	Unmanaged 10/100 'in the wall' switch, 4-port; black; 20-pack
3Com NJ100 Network Jack	3CNJ100-CRM	Unmanaged 10/100 'in the wall' switch, 4-port; cream; single-pack
3Com NJ100 Network Jack	3CNJ100-CRM-20	Unmanaged 10/100 'in the wall' switch, 4-port; cream; 20-pack
3Com NJ95 Network Jack	3CNJ95*	Unmanaged 10/100 'in the wall' switch, 4-port; cream; single-pack
Power Supplies		
3Com Network Jack Multiport Power Over Ethernet Midspan Solution	3CNJPSE24	802.3af-compliant inline power source for up to 24 network jacks
3Com Network Jack Single-Port Power Over Ethernet Midspan Solution	3CNJPSE	48 V inline power source for a single network jack
3Com Network Jack AC Power Supply	3CNJPSL	Required for LANs without Power Over Ethernet capabilities; powers a single network jack



3Com NJ100
and NJ200

- The 3Com NJ100 Network Jack is an economical, unmanaged alternative for sites not needing central control
- The 3Com NJ200 Network Jack includes advanced switching features, bundled management utilities, and support for VLANs
- The 3Com NJ95 Network Jack is compatible with a variety of international building and wiring standards

*Check 3com.com for availability



Network Jacks

Product	3Com 3C No.	Notes
Accessories		
3Com Network Jack Panduit Adapter Plates	3CNJAP-PA-20	20-pack adapter plates for 3Com NJ100 and NJ200 Network Jacks, black; add pass-through ports for Panduit connectors
3Com Network Jack Panduit Adapter Plates	3CNJAP-PA-20	20-pack adapter plates for 3Com NJ100 and NJ200 Network Jacks, cream; add pass-through ports for Panduit connectors
3Com Network Jack Avaya Adapter Plates	3CNJAPB-AV-20	20-pack adapter plates for 3Com NJ100 and NJ200 Network Jacks, black; add pass-through ports for Avaya information outlets
3Com Network Jack Avaya Adapter Plates	3CNJAP-AV-20	20-pack adapter plates for 3Com NJ100 and NJ200 Network Jacks, cream; add pass-through ports for Avaya information outlets
3Com NJ95 Network Jack Avaya Wall Plate	3CNJWP-AV	Wall plate for 3Com NJ95 Network Jacks, cream, single-pack; adds pass-through port for Avaya information outlet
3Com NJ95 Network Jack Krone Wall Plate	3CNJWP-KR	Wall plate for 3Com NJ95 Network Jacks, cream, single-pack; adds pass-through port for Krone connector
3Com Network Jack Extender Ring	3CNJEXTRING	For mounting network jack in shallow cutouts, or cutouts without predrilled holes





Hubs

Product	3Com 3C No.	Notes
3Com SuperStack II Dual Speed Hub 500 12-Port	3C16610	Award-winning 10/100 12-port hub
3Com SuperStack II Dual Speed Hub 500 24-Port	3C16611	Award-winning 10/100 24-port hub
Optional Modules & Accessories		
3Com SuperStack II Dual Speed Hub 500 TX Distance Extender	3C16683	Distance extender module for Dual Speed Hub 500
3Com SuperStack II Dual Speed Hub 500 FX Distance Extender	3C16684	Distance extender module for Dual Speed Hub 500
3Com SuperStack II Dual Speed Hub 500 Management Module	3C16685	Management module for Dual Speed Hub 500
3Com SuperStack II Dual Speed Hub 500 Cascade Cable	3C16695	Cascade cable for Dual Speed Hub 500
Hubs and Switch Transceivers		
3Com Transceiver-AUI	3C1206-0	One female AUI
3Com Transceiver-FL	3C1206-5	One pair ST
3Com Transceiver-Coax	3C1206-6	BNC
3Com Transceiver-TP	3C12063	One RJ-45
3Com SuperStack 3 Hubs		
3Com SuperStack 3 Baseline Dual Speed Hub 16-Port	3C16410	Economical 10/100 Mbps 16-port hub
3Com SuperStack 3 Baseline Dual Speed Hub 24-Port	3C16411	Economical 10/100 Mbps 24-port hub



3Com SuperStack II
Dual Speed Hub 500 12-Port

- SuperStack II Dual Speed Hubs deliver high performance for workgroup applications
- Can be managed as a single repeater stack in larger networks



Hubs

Product	3Com 3C No.	Notes
3Com OfficeConnect Hubs		
3Com OfficeConnect Dual Speed Hub 5	3C16755	Hub with 5 autosensing 10/100 ports and internal switch
3Com OfficeConnect Dual Speed Hub 8	3C16753	Hub with 8 autosensing 10/100 ports and internal switch
3Com OfficeConnect Dual Speed Hub 16	3C16754	Hub with 16 autosensing 10/100 ports and internal switch
3Com OfficeConnect Ethernet Hub 4	3C16704A	Economical 10 Mbps hub
3Com OfficeConnect Ethernet Hub 4C	3C16703A	Economical 10 Mbps hub
3Com OfficeConnect Ethernet Hub 8	3C16700A	Economical 10 Mbps hub
3Com OfficeConnect Ethernet Hub 8C	3C16701A	Economical 10 Mbps hub
3Com OfficeConnect Ethernet Hub 16C	3C16702A	Economical 10 Mbps hub



3Com OfficeConnect
Dual Speed Hub family

- 3Com OfficeConnect Dual Speed Hubs provide entry-level hubs for small business customers





Firewalls, Filters & Web Solutions

Product	3Com 3C No.	Notes
Firewalls		
3Com OfficeConnect Cable/DSL Secure Gateway	3CR856-95	High security stateful packet inspection firewall with VPN, DMZ, supports 253 users
3Com SuperStack 3 Firewall	3CR16110-95	High performance, enterprise-class security supporting VPN technology, and with export-ready hardware
3Com OfficeConnect Internet Firewall DMZ	3C16771	Firewall with DMZ port, supports 100 users, built in firewall with VPN
Embedded Firewalls		
3Com Embedded Firewall Starter Policy Server	3CR010STRPS-1-97B*	Supports up to 10 firewall clients
3Com Embedded Firewall Policy Server	3CR010PS-1-97B*	Supports up to 1,000 firewall clients
Embedded Firewall Hardware		
3Com Firewall PC Card with 10/100 LAN, Type II*	3CRFW102	Embedded firewall hardware for notebook PCs; cable connector for 10/100 Ethernet LANs
20-pack	3CRFW102-020	20-pack
3Com Firewall PC Card with 10/100 LAN, Type III*	3CRFW103	Embedded firewall hardware for notebook PCs; integrated RJ-45 connector for 10/100 Ethernet LANs
20-pack	3CRFW103-020	20-pack
3Com Firewall Server PCI Card with 10/100 LAN*	3CRFW300	Embedded firewall hardware for a server PC; for 10/100 Ethernet LANs
10-pack	3CRFW300-10	10-pack
3Com Firewall Desktop PCI Card with 10/100 LAN*	3CRFW200	Embedded firewall hardware for a desktop PC; for 10/100 Ethernet LANs
25-pack	3CRFW200-25	25-pack

*these products contain encryption and may require U.S. and/or local government authorization prior to export or import to another country



Firewalls, Filters & Web Solutions

Product	3Com 3C No.	Notes
Web Site Filters		
3Com SuperStack 3 Firewall Web Site Filter	3C16111	Web content filtering for the 3Com SuperStack 3 Firewall
3Com OfficeConnect Firewall Web Site Filter	3C16772	Web content filtering for 3Com OfficeConnect Internet Firewalls
3Com OfficeConnect Firewall VPN Upgrade	3CR16773-93	Allows secure connections across the Internet
3Com SuperStack 3 Webcache Web Site Filter	3C16118	Annual subscription to powerful content filtering service for the SuperStack 3 Webcaches
Webcaches		
3Com SuperStack 3 Webcache 1000	3C16115	Dedicated webcache appliance offers faster browser performance and lower WAN costs
3Com SuperStack 3 Webcache 3000	3C16116	Modular unit supports up to 1,000 users over T3/E3 lines, or 1,500 users with optional third hard drive
Server Load Balancers		
3Com SuperStack 3 Server Load Balancer	3C16120	Dedicated load-balancing switch boots network server performance
3Com SuperStack 3 Server Load Balancer Plus	3C16121	High performance, dedicated load-balancing switch boots network server performance




3Com Embedded
Firewall family

- 3Com embedded firewall products provide distributed, tamper-resistant protection against network attacks
- 3Com Embedded Firewall Policy Server software delivers timesaving central management of security policies and embedded firewall systems





Internet Gateway Routers and LAN Modems

Product	3Com 3C No.	Notes
Cable/DSL Gateways		
3Com OfficeConnect Cable/DSL Gateway	3C857	Secure Internet sharing for up to 253 users
3Com OfficeConnect Cable/DSL Secure Gateway	3CR856-95	High security stateful packet inspection firewall with VPN, DMZ, supports 253 users
 3Com OfficeConnect Wireless Cable/DSL Gateway	3CRWE52196	Secure Internet sharing for up to 32 802.11b wireless and 253 total users
LAN Modems		
3Com OfficeConnect ISDN LAN Modem U interface	3C892A	Economical shared Internet access up to 128 Kbps
3Com OfficeConnect ISDN LAN Modem S/T interface	3C891A	Economical shared Internet access up to 128 Kbps
3Com OfficeConnect Dual 56K LAN Modem	3C888	Economical shared Internet access with 2 analog ports
3Com OfficeConnect 56K LAN Modem	3C886A	Economical shared Internet access with 1 analog port



3Com OfficeConnect Cable/DSL Gateway family

- Low-cost shared Internet access
- Secure broadband and dial-up Internet access
- Designed specifically for growing small businesses, small offices, and home offices
- Plug-and-play installation

Internet Gateway
Routers and LAN
Modems





Networked Telephony

Product	3Com 3C No.	Notes
Telephone Systems 3Com SuperStack 3 NBX® Networked Telephony Solution Release 4.1 3Com NBX 100 Communications System Release 4.1	Categories, rather than individual products, are listed. Refer to product data sheets for 3C numbers.	Robust stackable IP-PBX business communications supporting up to 1,500 devices (lines/stations) Industry-leading chassis-based IP-PBX supporting up to 200 devices (lines/stations)
Telephone System Hardware 3Com Chassis and Call Processors 3Com NBX Interface Cards 3Com NBX Phones and Attendant Consoles 3Com NBX Analog Device Connections 3Com Ethernet Power Source Products		Central hardware, call processing, and built-in application control components for networked telephony solutions 3Com networked telephony connectors to the PSTN, LAN, or WAN Multi-line telephones and attendant consoles with sophisticated, easy-to-use feature sets for 3Com networked telephony solutions Connectors for conventional analog phones and fax machines to 3Com networked telephony solutions Centralized power supply for 3Com NBX business phones and consoles via Ethernet cables



3Com SuperStack 3 NBX Networked Telephony Solution

- For information on becoming authorized to sell 3Com networked telephony solutions, contact your local 3Com sales office or visit the 3Com Partner Access web site in your region
- US resellers can acquire information on 3Com's Partner Authorization Program at <http://www.3com.com/partners/prodauth.html>



Networked Telephony

Product	3Com 3C No.	Notes
Telephone Systems Software NBX Voice Mail/Auto-Attendant Upgrades NBX IP Site Licenses NBX Virtual Tie Line Licenses NBX pcXset Client Software NBX WAV Application Licenses NBX ConneXtions Gateway Software	Categories, rather than individual products, are listed. Refer to product data sheets for 3C numbers.	Add voicemail/auto-attendant port capacities to 3Com SuperStack 3 NBX and NBX 100 telephone systems Extend NBX functionality to remote offices and telecommuters across IP networks Improve customer service and save money by simplifying multisite communications Turn your PC into a virtual NBX business telephone Make possible use of the growing range of TAPI/WAV-enabled applications Save money and improve customer service while simplifying communications between an organization's multiple sites
Telephony Applications 3Com NBX Unified Communications		Retrieve, send, and manage all messages—voice mail, fax, and e-mail—from any device, anytime



3Com
NBX Business Phone

- 3Com NBX networked telephony systems are proven, award-winning leaders in the IP-PBX market. More detailed information is available at http://www.3com.com/telephone_systems
- Open, scalable architecture makes advanced telephony affordable for single and multisite networks
- Purpose-built simple administration and use increases productivity and ROI





Wireless Solutions

Product	3Com 3C No.	Notes
Access Points		
3Com 11 Mbps Wireless LAN Access Point 8000	3CRWE80096A	Supports up to 256 users within 100 meters (328 feet)
3Com 11 Mbps Wireless LAN Access Point 6000	3CRWE60092A	Supports up to 65 users within 100 meters (328 feet)
3Com 11 Mbps Wireless LAN Access Point 2000	3CRWE20096A	Supports up to 128 users within 100 meters (328 feet)
Cable/DSL Gateways		
3Com OfficeConnect Wireless Cable/DSL Gateway	3CRWE52196	Secure Internet sharing for up to 32 802.11b wireless and 253 total users
Bridging Devices		
3Com 11 Mbps Wireless LAN Outdoor Bridge Solution	3CRWEASY96A	State-of-the-art wireless bridging technology enclosed in a weatherproof high-gain panel antenna
3Com Wireless LAN Building-to-Building Bridge	3CRWE91096A	Full Wi-Fi compatibility for building-to-building transmissions up to 16.9 kms (10 miles)
3Com 11 Mbps Wireless LAN Building-to-Building Bridge	3CRWE90096A	Long-range, cost effective wireless connections between sites
3Com 11 Mbps Wireless LAN Workgroup Bridge	3CRWE83096A	Creates Wi-Fi certified workgroups for up to four devices using a hub



3Com 11 Mbps
Wireless LAN
product family

- Provides network access when and where you need it
- Unique 60 second setup with 3Com 11 Mbps Wireless LAN Access Point 2000 and Access Point 6000
- Wireless Workgroup Bridge offers cost effective wired-to-wireless bridging for any Ethernet-enabled device



Wireless Solutions

Product	3Com 3C No.	Notes
Client Devices		
3Com OfficeConnect 11Mbps Wireless LAN PC Card	3CRSHPW796	Low-cost wireless LAN connections for notebook PCs with fixed antenna
3Com OfficeConnect 11 Mbps Wireless LAN PC Card with XJACK® Antenna	3CRSHPW196	Low cost wireless LAN connections for notebook PCs, with XJACK Antenna
3Com 11 Mbps Wireless LAN PC Card with XJACK Antenna	3CRWE62092B	Secure, reliable wireless LAN connectivity for notebook PCs
3Com OfficeConnect 11 Mbps Wireless LAN USB Adapter	3CRSHEW696	Low cost wireless connectivity for desktop or notebook PC users with available USB port
3Com 11 Mbps Wireless LAN PCI Adapter	3CRDW696	Secure, reliable connections for desktop users
3Com Wireless Bluetooth Client Devices		
3Com Wireless Bluetooth PC Card with XJACK Antenna	3CRWB6096	Wireless Personal Area Connections for Notebook PCs
3Com Wireless Bluetooth USB Adapter	3CREB96	Wireless Personal Area Connections for PCs with available USB slot
3Com Wireless Bluetooth Printer Adapter Kit	3CRBB0196	Printer adapter and USB adapter enables convenient wireless printing



3Com OfficeConnect 11 Mbps Wireless LAN PC Card

- Provides secure wireless connections with up to 128-bit encryption
- XJACK antenna extends for excellent performance and retracts for safe travel and transport
- Compatible with all Wi-Fi certified access points





PC Cards & NICs

Product	3Com 3C No.	Notes
LAN PC Cards		
3Com 10/100 LAN CardBus Type III PC Card	3C3FE575CT	Fast Ethernet performance, 32-bit; patented integrated connector
3Com 10/100 LAN Type III PC Card	3C3FE574BT	Fast Ethernet performance; 16-bit; patented integrated connector
3Com OfficeConnect 10/100 CardBus Type III PC Card	3C3SH573BT	Fast Ethernet performance for small business; 32-bit; patented integrated connector
3Com 10/100 LAN CardBus PC Card with XJACK Connector	3CXFE575CT	Fast Ethernet performance, 32-bit; patented XJACK connector
3Com 10/100 LAN PC Card with XJACK Connector	3CXFE574BT	Fast Ethernet performance; 16-bit; patented XJACK connector
3Com OfficeConnect 10/100 LAN PC Card with XJACK connector	3CXSH572BT	Fast Ethernet performance for small businesses; 16-bit; patented XJACK connector
3Com 10 Mbps LAN PC Card with XJACK Connector	3CXE589ET	Ethernet connections; 16-bit; patented XJACK connector
3Com 10 Mbps LAN PC Card with XJACK Connector (10BASE-T/10BASE-2 Combo)	3CXE589EC	Ethernet connections, 16-bit; 10BASE-T and 10BASE-2 patented XJACK connector
3Com 10/100 LAN CardBus PC Card	3CCFE575CT	Fast Ethernet performance, 32-bit; cable connector
3Com 10/100 LAN PC Card	3CCFE574BT	Fast Ethernet performance; 16-bit; cable LAN connector
3Com 10 Mbps LAN PC Card	3CCFE589ET	Ethernet connections; 16-bit; RJ-45 cable connector
3Com OfficeConnect 10/100 LAN PC Card	3CCSH572BT	Fast Ethernet performance for small businesses; 16-bit; cable connector



PC Cards & NICs

Product	3Com 3C No.	Notes
LAN + Modem Combo Cards		
3Com 10/100 LAN + 56K Global Modem CardBus PC Card with Autosensing XJACK Connector	3CXFEM656C	10/100 LAN connections and 56K global modem access; autosensing XJACK connector
3Com 10/100 LAN + 56K Global Modem CardBus Type III PC Card	3C3FEM656C	10/100 LAN connections and 56K global modem access; patented integrated connectors
3Com 10/100 LAN + 56K Global Modem PC Card	3CCFEM556B	Fast Ethernet and 56K global modem access; 16-bit; cable connectors
3Com 10/100 LAN + 56K Global Modem Type III PC Card	3C3FEM556C	Fast Ethernet and 56K global modem access; 16-bit; patented integrated connectors
3Com OfficeConnect 10/100 LAN + 56K Global Modem CardBus PC Card with Autosensing XJACK Connector	3CXSH654B	Affordable, reliable network connections and dial-up access for schools, home and small offices around the world; patented autosensing XJACK connectors
3Com OfficeConnect 10/100 LAN + 56K Global Modem CardBus Type III PC Card	3C3SH654B	Affordable, reliable network connections and dial-up access for schools, home and small offices around the world; patented integrated connectors



3Com 10/100 LAN+56K Global Modem CardBus Type III PC Card

- 3Com offers PC card products for a wide variety of customer environments from homes to small businesses to large corporate deployments
- Connect when and where you want
- Our Type II and Type III LAN+modem cards offer advanced LAN and modem features to simplify connections around the world
- Durable, patented XJACK connector extends for connection, retracts for travel





PC Cards & NICs

Product	3Com 3C No.	Notes
Gigabit Ethernet		
3Com Gigabit Fiber-SX Server NIC	3C996-SX	Multimode fiber, processing offloads, remote management, advanced server features
3Com Gigabit Server NIC	3C996B-T	UTP copper, processing offloads, remote management, advanced server features
3Com Gigabit Fiber-LX Server NIC 710026 with Memory	710026	Single- or multimode fiber, processing offloads, remote management, server features, 1 MB memory
3Com Gigabit Fiber-SX Server NIC 710012 with Memory	710012	Multimode fiber, processing offloads, remote management, server features, 1 MB memory
3Com Gigabit Server NIC 710024 with Memory	710024	UTP copper, processing offloads, remote management, server features, 1 MB memory



3Com Gigabit Fiber-SX Server NIC and
3Com Gigabit Server NIC

- Server NICs provide a cost-effective way to boost network performance for bandwidth intensive applications
- 10/100 secure NICs are ideal for security conscious organizations
- Managed NICs deliver reliability and high performance plus intelligent management features
- 3Com Connection Assistant (available for all NICs) simplifies troubleshooting with automated web support




PC Cards & NICs

Product	3Com 3C No.	Notes
Fast Ethernet		
3Com 10/100 Secure Server NIC	3CR990SVR97	High-performance secure server NIC: UTP copper, 56-bit IPsec, processing offloads, enterprise-level remote management
3Com 10/100 Dual-Port Server NIC	3C982-TXM	Dual ports for slot-constrained servers: UTP copper, enterprise-level remote management, advanced server features
3Com 10/100 Server NIC	3C980C-TXM	Server NIC: UTP copper, enterprise-level remote management, advanced server features
3Com 100 Secure Fiber-FX NIC	3CR990-FX-97	High-performance secure fiber NIC: multimode fiber, 168-bit IPsec, processing offloads, enterprise-level remote management
3Com 10/100 Secure NIC	3CR990-TX-97	Secure desktop NIC: UTP copper, 168-bit IPsec, processing offloads, enterprise-level remote management
3Com 10/100 Managed NIC	3C905CX-TX-M	Desktop NIC: UTP copper, enterprise-level remote management
3Com OfficeConnect 10/100 NIC	3CSOHO100B-TX	Basic desktop NIC for small office LANs: UTP copper, Windows-based management
3Com 100 Fiber NIC	3C905B-FX(SC)	Desktop or server NIC: multimode fiber, remote management
3Com 10/100 Ethernet LAN Controller ASIC	3C920-ST06	For PC manufacturers, supports desktop & notebook PC platforms, UTP copper
3Com VIA VT8233C I/O Controller Hub	3C920B-VIA	For PC manufacturers, supports desktop & notebook PC platforms, UTP copper





Network Management

Product	3Com 3C No.	Notes
Network Management Software		
3Com Network Supervisor	3C15100D	Powerful, easy-to-use management and problem-solving tool that graphically discovers, maps, and displays network links and IP devices; available from http://www.3com.com/3ns
 3Com Network Supervisor Advanced Package	3C15201A	Chargeable module for 3Com Network Supervisor to manage larger networks and extend functionality
3Com Integration Kit for HP OpenView	3C15300	Plug-in that lets HP OpenView discover, map, and monitor manageable 3Com devices





Online support is available using 3Com Knowledgebase, a powerful web tool found at <http://knowledgebase.3com.com>. This complimentary interactive service provides access to thousands of technical solutions that are verified and maintained by 3Com engineers.

Support Services and Solutions

In addition to innovative products, 3Com offers exemplary support services to both its partners and end users. Leverage 3Com's resources and expertise as needed to augment your own, or to assist with the learning curve posed by new technologies.

3Com professional services provide turnkey solutions as well as assessment and implementation support. 3Com maintenance services extend and enhance the generous warranty and other service benefits that are included with 3Com products.

More detailed information on 3Com service partner programs, professional services, warranty, and support is available at <http://www.3com.com> or by contacting your regional 3Com Service Sales office.



3Com Corporation, Corporate Headquarters,
5400 Bayfront Plaza, P.O. Box 58145,
Santa Clara, CA 95052-8145

To learn more about 3Com solutions, visit
www.3com.com. 3Com Corporation is publicly traded
on Nasdaq under the symbol COMS.



Copyright © 2003 3Com Corporation. All rights reserved. 3Com, the 3Com logo, SuperStack, OfficeConnect, peXset, NBX and XJACK are registered trademarks, Wi-Fi is a trademark of the Wireless Ethernet Compatability Alliance, XRN and Possible made practical are a trademark of 3Com Corporation. All other company and product names may be trademarks of their respective companies. While every effort is made to ensure the information given is accurate, 3Com does not accept liability for any errors or mistakes which may arise. All information is subject to change without notice.